

SITE WORK GENERAL ABBREVIATIONS

⊙	AT	CB	CATCH BASIN	EVC	END OF VERTICAL CURVATURE	MH	MANHOLE	RT	RIGHT
⊕	CENTER LINE	CC	CONTROL CABLE	EW	EACH WAY	MIN	MINIMUM	RW	RECLAIMED WATER
Δ	DELTA (ANGLE)	CF	CUBIC FEET	EXIST	EXISTING	MJ	MECHANICAL JOINT	S	SEWER
∅	DIAMETER	CI	CAST IRON	FDN	FOUNDATION	MO	MIDDLE ORDINATE	S	SLOPE
'	FEET	CIP	CAST IRON PIPR	FF	FINISHED FLOOR (ELEVATION)	MON	MONUMENT	S	SOUTH
ℓ	FLOW LINE	CJ	CONSTRUCTION JOINT	FH	FIRE HYDRANT	N	NORTH	SB	SELECT BACKFILL
"	INCHES	CLG	CEILING	FL	FLOW LINE	NIC	NOT IN CONTRACT	SCH	SCHEDULE
-	MINUS	CLR	CLEAR	FM	FORCE MAIN	NPS	NATIONAL PARK SERVICE	SHT	SHEET
#	NUMBER	CLR	CLEARANCE	FT	FOOT, FEET	NTE	NOT TO EXCEED	SP	SIGNAL POLE
%	PERCENT	CMP	CORRUGATED METAL PIPE	G	GAS	NTS	NOT TO SCALE	SQ	SQUARE
+	PLUS	CO	CLEANOUT	GA	GAGE	OC	ON CENTER	SS	STAINLESS STEEL
ℙ	PROPERTY LINE	CO	CONTRACTING OFFICER	GAL	GALLON	OD	OUTSIDE DIAMETER	ST	STORM SEWER
ℙ	P-LINE	CONC	CONCRETE	GALV	GALVANIZED	PB	POLYBUTYLENE (PIPE)	STA	STATION
A	AIR	CP	CORNER POINT	GLL	GRADING LIMIT LINE	PB	PULLBOX	STL	STEEL (PIPE)
AC, ACP	ASBESTOS CEMENT (PIPE)	CP	CATCH POINT	GPH	GALLONS PER HOUR	PC	POINT OF CURVATURE	STM	STEAM
AC	ASBESTOS CEMENT	CS	COMBINED SEWER	GPM	GALLONS PER MINUTE	PCC	POINT OF COMPOUND CURVATURE	T	TANGENT LENGTH
AC	ASPHALT CEMENT CONCRETE	CS	COMFORT STATION	GS	GALVANIZED STEEL	PE	PLAIN END PIPE	T	TELEPHONE
AE	AERIAL TELEPHONE	CSP	CORRUGATED STEEL PIPE	GSP	GALVANIZED STEEL PIPE	PE	POLYETHYLENE (PIPE)	TRANS	TRANSFORMER
AL	ALUMINUM	CU	COPPER	GV	GATE VALVE	PED	PEDESTAL	TC	TOP OF CURB
ARV	AIR RELIEF VALVE	CV	CURBSTOP VALVE	HB	HOSE BIBB	PG	PROFILE GRADE	TS	TOP OF SLOPE
ASPH	ASPHALT	CY	CUBIC YARDS	HH	HANDHOLE	PI	POINT OF INTERSECTION	TS	TOP OF STEP
AT	AERIAL TELEPHONE	D	DELTA (ANGLE)	HP	HIGH POINT	POC	POINT ON CURVE	TS	TRENCH SCAR
B&B	BALL AND BURLAP	DBH	DIAMETER BREST HEIGHT	HP	HINGE POINT	POL	POINT ON LINE	TW	TOP OF WALL
BC	BEGINNING OF CURVE	DC	DEGREE OF CURVE	HORIZ	HORIZONTAL	POT	POINT ON TANGENCY	TYP	TYPICAL
BC	BOTTOM OF CURB	DET	DETAIL	IN	INCH, INCHES	PP	POWER POLE	UE	UNDERGROUND ELECTRICAL
BC	BRASS CAP	DI	DROP INLET	ID	INSIDE DIAMETER	PRC	POINT OF REVERSE CURVATURE	UT	UNDERGROUND TELEPHONE
BD	BEDDING	DI	DUCTILE IRON	INV	INVERT	PRV	PRESSURE REGULATING VALVE	V	VALVE
BF	BACKFILL	DIA	DIAMETER	IE	INVERT ELEVATION	PSF	POUNDS PER SQUARE FOOT	VAR	VARIES
BLDG	BUILDING	DIP	DUCTILE IRON PIPE	JT	JOINT	PSI	POUNDS PER SQUARE INCH	VC	VERTICAL CURVE
BM	BENCHMARK	DR	DRAIN	L	LENGTH	PT	POINT OF TANGENCY	VC,VCP	VITRIFIED CLAY PIPE
BOL	BEGINNING OF LINE	E	EAST	L	LIGHTING	PVC	POLYVINYL CHLORIDE (PIPE)	VERT	VERTICAL
BOT	BOTTOM	E	ELECTRIC	LB	POUND	PVCC	POINT OF VERTICAL COMPOUND CURVATURE	VPC	VERTICAL POINT OF CURVATURE
BR	BRICK	EA	EACH	LC	LENGTH OF CURVE	PVI	POINT OF VERTICAL INTERSECTION	VPI	VERTICAL POINT OF INTERSECTION
BS	BOTTOM OF SLOPE	EC	END OF CURVE	LF	LINEAR FEET	PVRC	POINT OF VERTICAL REVERSE CURVATURE	VPT	VERTICAL POINT OF TANGENCY
BS	BOTTOM OF STEP	EJ	EXPANSION JOINT	LP	LOW POINT	R	RADIUS (LENGTH)	W	WATER
BVC	BEGINNING OF VERTICAL CURVATURE	EL	ELEVATION	LPG	LIQUID PROPANE GAS	RC	REINFORCED CONCRETE	W	WEST
BW	BOTTOM OF WALL	EOL	END OF LINE	LS	LIFT STATION	RCP	REINFORCED CONCRETE PIPE	W/	WITH
C	CHORD LENGTH	EP	EDGE OF PAVEMENT	LT	LEFT	REQ'D	REQUIRED	WLL	WORK LIMIT LINE
CAL	CALIPER	ER	EDGE OF ROAD	M	METER	RP	RADIUS POINT	W/O	WITHOUT
CATV	CABLE TELEVISION	ES	EDGE OF SHOULDER	MAX	MAXIMUM	ROW	RIGHT OF WAY	YH	YARD HYDRANT

**NOTE**

USE OF PERIODS IN ABBREVIATIONS IS OPTIONAL.

DESIGNED: C. SMITH	SUB SHEET NO. <b>C1</b>	TITLE OF SHEET <b>SAMPLE ABBREVIATION SHEET</b>	DRAWING NO. <b>999</b>
CHIEF ENGINEER: L. WOLF			41,001
TECH. REVIEW:			PKG. NO. 108
DATE: 10/94			SHEET <b>3</b>
NAME OF PARK		OF	<b>43</b>

Figure A7 – Sample Abbreviation Sheet (C1) – 499/41001

8/10/01 13:07 C:\EVERMAN\_R15\S\SM\USER\NPS\10\FINAL-SET\CIVIL\C1.DWG